



NOTES:

1. REFERENCE CITY OF LANCASTER STANDARD CONSTRUCTION DRAWING S-22 FOR THE SANITARY SEWER CONNECTION.
2. REFERENCE THE CITY OF LANCASTER CMS 915 FOR SPECIFICATIONS FOR WYE OR TEE FITTINGS AND CLEAN-OUTS.
3. REFERENCE THE CITY OF LANCASTER CMS 918 FOR SPECIFICATIONS FOR SANITARY HOUSE CONNECTION SERVICE.
4. THE WYE POLE SHALL BE TIMBER THAT HAS BEEN TREATED, IN GOOD CONDITION, STRAIGHT, SOUND, AND FREE FROM LARGE OR LOOSE KNOTS.
5. EXTEND THE WYE POLE TO A POINT 3' ABOVE THE GROUND LEVEL AND PAINT WITH GREEN PAINT
6. IF THE WYE POLE IS PULLED OUT OR BENT OVER, THE CONTRACTOR SHALL REMOVE THE ENTIRETY OF THE POLE AND REPLACE THE WYE POLE.
7. THE WYE POLE SHOULD BE PLACED ADJACENT TO THE END OF THE SERVICE.

APPROVED 10-14-20
Meredith Volker
 CITY ENGINEER

SEWER TERMINATION
 LATERAL FOR FUTURE USE

CITY OF LANCASTER, OHIO
 DEPARTMENT OF ENGINEERING

STANDARD
 CONSTRUCTION DRAWING

DWG. BY:ADH.....
 CHK'D BY:MN.....

FILE NUMBER
 S-35

REVISED: 14 OCT 20